ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
HANDVER SQUARE CONDO ASSOCIATION					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
_BUILDING		HOVER	SQUARE		
BRUNSWIC	K			STATE GEDRG	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
130092	०२५२	Ω	7-17-95	AE	(in AO Zones, use depth)
8. For Zones A or V, where	no BFE is provided o	n the FIRM, ar	ase Flood Elevations (BFE nd the community has esta FIRM datum-see Section	ablished a BFE f	Other (describe on back or this building site, indicate
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	ATION	
(c). FIRM Zone A (without	s at an elevation of L BFE). The floor used the highest grade ac	d as the referer		M datum–see S d diagram is └─│	ection B, Item 7). I.L feet above □ or
one) the highest grade	adjacent to the build	ing. If no flood	n the selected diagram is I depth number is availabl ain management ordinand	e, is the building	bove or below (check s lowest floor (reference) No Unknown
3. Indicate the elevation dat under Comments on Pag the FIRM [see Section E equation under Comment	e 2). (NOTE: If the o B, Item 7], then conve	elevation datun	n used in measurina the e	levations is diffe	VD '29 Other (describe erent than that used on I and show the conversion
 Elevation reference mark 				n Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	ion drawings is only Ily be valid for the bu	valid if the build ilding during th	ding does not vet have the	reference level	floor in place, in which tion Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is:	.∐ feet NGVD	(or other FIRM datum-see
	SI	ECTION D CO)N	
 If the community official rules is not the "lowest floor" as floor" as defined by the or 	esponsible for verifyin s defined in the comm	ng building elev nunity's floodpl		eference level in ce, the elevation	ndicated in Section C, Item 1 of the building's "lowest B. Item 7).

2. Date of the start of construction or substantial improvement _

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best elforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) GAEN S. NEVILL GA. R.(.S. NO. 2401 TITLE Shupe SURNEYING COMPANY, P.C. LAND SURNEYOR ADDRESS CITY BRUNSWICK GEORGIN 31525 ARTERE DAD SIGNATURE DATE 265-0562 -99 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. A.C. = 13.7 COMMENTS: GARAGE = 8.7 FINISHED FLOOR = 18.1' (AT DOOR JAM) ISOU A FINISHED FLOOR AT DOOR JAM = 18,2' 1804 B 1804 C FINISHED ELDOR AT DOOR JAM: 18.1' IS FEE FOR LOWER FLOOR AT UNIT ITEM ZA 1804B



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.