ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME HANDVER STREET ADDRESS (Including Ap 1806 F.RE OTHER DESCRIPTION (Lot and	t., Unit, Suite and/or Bldg. I	Number) OR P.O. F		12	POLICY NUMBER
BUILDING	ONE, HE	NOVER	SQUARE		
ST. SIMONS ESLAND GEOR					
	SECTION B FI	_OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	1
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX フーレフ - 95	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
For Zones A or V, where	no BFE is provided o	n the FIRM, an	ase Flood Elevations (BFR Ind the community has est FIRM datum-see Section	ablished a BFE	9 Other (describe on back for this building site, indicate
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	ATION	
the selected diagram, (c). FIRM Zone A (without below (check one)	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade ad	. The bottom c	of the lowest horizontal st feet NGVD (or other FIF nee level from the selecte uilding.	M datum-see S d diagram is 上	L. feet above C or
one) the highest grade	adjacent to the build	ing. If no flood	n the selected diagram is I depth number is availab ain management ordinan	e, is the buildin	above
 Indicate the elevation da under Comments on Pag 	tum system used in d je 2). <i>(NOTE: If the d</i> B, Item 7], then conve	etermining the elevation datun	above reference level ele n used in measuring the e	vations: WNG	VD '29 Other (describe
 Elevation reference mark 	used appears on FI	RM: 🗌 Yes 🖬	No (See Instructions o	n Page 4)	
5. The reference level eleva (NOTE: Use of construc case this certificate will of will be required once con.	tion drawings is only nly be valid for the bu	valid if the build ilding during th	ding does not vet have the	e reference leve	el floor in place, in which ction Elevation Certificate
5. The elevation of the lowe Section B, Item 7).	est grade immediately	adjacent to the	e building is: (ら	. D feet NGVD) (or other FIRM datum-see
	SI	ECTION D CO	MMUNITY INFORMATIO	DN .	
 If the community official r is not the "lowest floor" a floor" as defined by the c 	s defined in the comr	ng building elev nunity's floodpl	vations specifies that the	reference level ce, the elevation	indicated in Section C, Item 1 n of the building's "lowest

2. Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME GA. R.I.S. ND. 2401 GAR NEVIL COMPANY NAME TITLE URNEYING COMPANY, P.C. Shupe RNEVDR AND CITY ADDRESS SEORGIA 31525 DRUNSWICK SIGNATUR 265-0562 8 be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. Cop(es should 15.2' COMMENTS: _A.C. = ON PILES. WITH ON PIERS, OR COLUMNS BASEMENT SLAB v A A V ZONES ZONES ZONES ZONES ZONES REFERENCE LEVEL REFERENCE BASE REFERENCE LEVEL FLOOD ELEVATION BASE FLOOD REFERENCE BAS ADJACENT FLOOD LEVEL GRADE ELEVATION REFERENCE ADJACENT LEVEL ADJACENT The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.